

Material Safety Data Sheet



OCI® AWNING & ROOFING SEALANT

Section 1 : Product & Company Identification

Product Name:	OCI® AWNING & ROOFING SEALANT	
Company:	OCI MATERIAL PRATAMA	
	Office	Factory
	Altira Office Tower 38th Floor. Altira Business Park Jl. Yos Sudarso Kav 85. Jakarta 14350 – Indonesia Telephone : +62-21 2188 2000 Fax : +62-21 2188 2002	Jl. Inti Raya Block C-4 Kav 2-3 Hyundai – Lippo Cikarang 17550 Bekasi, Indonesia

Section 2 : Composition/Information on Ingredients

Chemical Name	CAS No	Proportion
Minerail Spirits	64742-48-9	< 5%
Cobalt Dryer	-	<5%
Ethylene glycol	107-21-1	<10%
Titanium dioxide	13463-87-7	<5%

Section 3 : Hazards Identification

- Ingestion: Irritation of the mouth, throat and stomach.
- Skin contact: Uncured product contact will irritate lips, gums and tongue.
- Uncured product contact may irritate the skin.
- Inhalation: May cause mild respiratory irritation.
- Eye contact: Uncured product contact irritates eyes.

Section 4 : First-Aid Measures

Skin Contact	:	Remove contaminated clothing . Rinse with water and use a proprietary skin cleaner immediately.
Eyes Contact	:	Contact lenses should be removed . Rinse with plenty of water immediately, seek medical advice if necessary.
Ingestion	:	Seek medical advice immediately. DO NOT induce vomiting.

Section 5 : Fire-Fighting Measures

Suitable extinguishing media	:	Water spray, foam, CO2, dry powder
Unsuitable extinguishing media	:	-

Material Safety Data Sheet



OCI® AWNING & ROOFING SEALANT

Section 6 : Accidental Release Measures

- Shut off all possible sources of ignition.
- Clean up personnel to wear appropriate personal protective equipment.
- Prevent spreading of flammable vapours.
- Collect spill in clearly labeled container for disposal as per statutory regulations.
- Wash down area where spill occurred.
- Do not empty into drains.

Section 7 : Handling & Storage

Handling	:	Ensure good ventilation during processing.
Protection against fire / explosion	:	General rules of fire prevention should be observed.
Storage	:	Keep container tightly closed and dry. Store in a well-ventilated area.

Section 8 : Exposure Controls/Personal Protection

Ingredients with limiting values to be controlled.	:	Not indicated
Local exhaust	:	Recommended
Industrial hygiene	:	Remove immediately all contaminated clothing. Do not inhale vapours.
Hand protection	:	Suitable protective gloves
Eye protection	:	protective goggles

Section 9 : Physical & Chemical Properties

• Form	:	pasty
• Colour	:	white, black, grey.
• Odour	:	mild vegetable oils
• Viscosity	:	100,000 to 1,000,000 cps
• Boiling point	:	Not known
• Volatile % (25 °C)	:	<10%
• Specific Gravity	:	1.2 +/- 0.3
• Ignition temperature	:	Not known
• Flash point	:	Not known
• Solubility in water (20 °C)	:	Not known

Material Safety Data Sheet



OCI® AWNING & ROOFING SEALANT

Section 10 : Stability & Reactivity

Chemical stability : Chemical stability

Incompatible : With strong oxidising agents, acids and sources of ignition

Section 11 : Toxicological Information

Skin : May cause sensitisation

Eyes : possibly irritating

Section 12 : Ecological Information

No data available (preparation)

Section 13 : Disposal Considerations

Product: With respect to local regulations, e.g. dispose of to suitable waste incineration plant.

Section 14 : Transport information

- **ADR** : Not regulated as dangerous good.
- **IATA** : Not regulated as dangerous good.
- **IMDG** : Not regulated as dangerous good.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : This product is not intended to be transported in bulk.

Section 15 : Transport information

Proper shipping name : oil based ownning caulks

Hazard technical name : Not available

Hazard class : Not available

Section 16 : Regulatory information

Labeling (EC) : This product is not subjected to the labeling requirements.

Section 17 : Other Information

The information contained in this Safety Data Sheets is based on our present state of knowledge and experience and it provides guidance on health, safety and environmental aspects . We do, however, pass them on without any warranty or property assurances.