

# Material Safety Data Sheet



## OCI® ACRYFIL 788 ACRYLIC SEALANT

### Section 1 : Product & Company Identification

Product Name:	OCI® ACRYFIL 788 ACRYLIC SEALANT	
Company:	OCI MATERIAL PRATAMA	
	<b>Office</b>	<b>Factory</b>
	Altira Office Tower 38th Floor. Altira Business Park Jl. Yos Sudarso Kav 85. Jakarta 14350 – Indonesia Telephone : +62-21 2188 2000 Fax : +62-21 2188 2002	Jl. Inti Raya Block C-4 Kav 2-3 Hyundai – Lippo Cikarang 17550 Bekasi, Indonesia

### Section 2 : Composition/Information on Ingredients

Chemical Name	CAS No	R - phrases
Plasticizer	117-81-7	-
Propylene Glycol	57-55-6	-
Mineral Spirits	64742-48-9	-

### Section 3 : Hazards Identification

- Health effects : Unknown

### Section 4 : First-Aid Measures

Skin Contact	:	Remove contaminated clothing . Rinse with water and use a proprietary skin cleaner immediately.
Eyes Contact	:	Contact lenses should be removed . Rinse with plenty of water immediately, seek medical advice if necessary.
Ingestion	:	Seek medical advice immediately. DO NOT induce vomiting.

### Section 5 : Fire-Fighting Measures

Suitable extinguishing media	:	Water spray, foam, CO2, dry powder
Unsuitable extinguishing media	:	-

# Material Safety Data Sheet



## OCI® ACRYFIL 788 ACRYLIC SEALANT

### Section 6 : Accidental Release Measures

- Wear proper protective equipment.
- Wipe, scrape or soak up in inert material and put in a container for disposal
- Wash walking surfaces with detergent and water to reduce slipping hazards

### Section 7 : Handling & Storage

Handling	:	Ensure good ventilation during processing.
Protection against fire / explosion	:	General rules of fire prevention should be observed.
Storage	:	Keep container tightly closed and dry. Store in a well-ventilated area.

### Section 8 : Exposure Controls/Personal Protection

Ingredients with limiting values to be controlled. TLV ( TRGS 900/D )	:	Not indicated
Industrial hygiene	:	When using do not eat, drink or smoke
Hand protection	:	Suitable protective gloves
Eye protection	:	protective goggles
Inhale protection	:	use in well ventilated areas
Skin protection	:	well fitting clothing

### Section 9 : Physical & Chemical Properties

• Form	:	paste
• Colour	:	milky white
• Odour	:	slightly
• Boiling temperature	:	100°C
• Flash point	:	NA
• Freezing point	:	0°C
• Density	:	1.64 g/ml
• Solubility in water	:	soluble
• pHJ Value	:	7 - 9

# Material Safety Data Sheet



## OCI® ACRYFIL 788 ACRYLIC SEALANT

### Section 10 : Stability & Reactivity

Hazardous decomposition products : HCl, CO, CO<sub>2</sub>, CaO

Hazardous reaction:C115 : No dangerous reactions known

### Section 11 : Toxicological Information

Acute oral LD50(mg/kg) : unknown

Acute dermal LD50(mg/kg) : unknown

Acute inhalation LC50(mg/l) : unknown

### Section 12 : Ecological Information

Avoid uncured product will come in the environment

### Section 13 : Disposal Considerations

Dispose in accordance with federal, state and local legislation.

### Section 14 : Transport information

- **ADR** : Not regulated as dangerous good.
- **IATA** : Not regulated as dangerous good.
- **IMDG** : Not regulated as dangerous good.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** : This product is not intended to be transported in bulk.

### Section 15 : Regulatory information

Labeling (EC) : Not subject to labeling provisions by directive 67/548/EEC

### Section 16 : Other Information

The information contained in this Safety Data Sheets is based on our present state of knowledge and experience and it provides guidance on health, safety and environmental aspects . We do, however, pass them on without any warranty or property assurances.